

## PUBLICATIONS LABORATOIRE CERBA 2010

- 2010/01**      **Trombert-Paolantoni S, Thomas P, Hermet F, Clairet V, Litou N, Maury L.**  
Dépistage de la leptospirose : performance de la trousse Sérion Elisa classic Leptospira IgM®.  
Pathol Biol 2010 ; 58 : 95-99.
- 2010/02**      **Bergeron C,** Ordi J, Schmidt D, Trunk MJ, Keller T, Ridder R, European CINtec Histology Study Group.  
Conjunctive p16INK4a testing significantly increases accuracy in diagnosing high-grade cervical intraepithelial neoplasia.  
Am J Clin Pathol 2010 ; 133/3 : 395-406.
- 2010/03**      Tarte K, Gaillard J, Lataillade JJ, Fouillard L, Becker M, **Mossafa H,** Tchirkov A, Rouard H, Henry C, Splingard M, Dulong J, Monnier D, Gourmelon P, Gorin NC, Sensebé L, Société Française de Greffe de Moelle et Thérapie Cellulaire.  
Clinical-grade production of human mesenchymal stromal cells : occurrence of aneuploidy without transformation.  
Blood 2010 ; 115/8 : 1549-1553.
- 2010/04**      **Bergeron C.**  
Dépistage et diagnostic précoce du cancer du col de l'utérus à l'heure de la vaccination contre le papillomavirus.  
Rev Prat 2010 ; 60 : 214-215.
- 2010/05**      **Bergeron C.**  
Advances in screening technology. (Interview)  
HPVToday 2010 ; N° 20 : 1-3.
- 2010/06**      **Pedronno S,** Benachi A, Kohler M, Stora de Novion H, Le Fiblec B, Voulgaropoulos M, Favre R, **Costa JM.**  
Diagnostic prénatal moléculaire non invasif de l'achondroplasie par analyse de l'ADN foetal circulant. (Poster).  
5èmes Assises de Génétique Humaine et Médicale Strasbourg, 28-30 janvier 2010.
- 2010/07**      **Costa JM,** Benachi A.  
Le diagnostic prénatal non invasif sur sang maternel : bilan et perspectives.  
mt Med Reprod Gynecol Endocrinol 2010 ; 12/1 : 26-32.
- 2010/08**      Lavoué V, **Bergeron C,** Riethmuller D, Daraï E, Mergui JL, Baldauf JJ, Gondry J, Douvier S, Lopès P, de Reilhac P, Quéreux C, Letombe B, Marchetta J, Boulanger JC, Levêque J.  
Un nouveau paradigme pour le dépistage du cancer du col utérin.  
J Gynecol Obstet Biol Reprod 2010 ; 39 : 102-115.

- 2010/09**      **Costa JM.**  
Diagnostic du sexe foetal à partir du sang maternel.  
8<sup>ème</sup> Journée d'Endocrinologie Sexuelle Alfred Jost Paris, 11 mars 2010.  
Med Clin Endocrinol Diab 2010 ; N° Hors-série mars : 2-3.
- 2010/10**      Williams D, Patel C, Fallet-Bianco C, Kalyanasundaram K, Yacoubi M, Déchelotte P, Scott R, **Bazin A**, Bessières B, Marton T, Cox P.  
Fowler syndrome. A clinical, radiological and pathological study of 14 cases.  
Am J Med Genet 2010 ; 152A /1 : 153-160.
- 2010/11**      **Hadid K, Chanel S, Mossafa H**, Couturier J, **Bergeron C.**  
Performance de l'immunohistochimie calibrée par rapport à l'hybridation *in situ* fluorescente double sonde pour la détermination du statut HER2 sur 200 cancers du sein de tous stades. (Poster).  
33èmes Assises de Pathologie Lille, 20-21 mai 2010.
- 2010/12**      **Bergeron C**, Nogales FF, Rechberger T, Tatarchjuk T, Zipfel L.  
Ultra low dose continuous combined hormone replacement therapy with 0.5 mg 17 $\beta$ -oestradiol and 2.5 mg dydrogesterone : Protection of the endometrium and amenorrhoea rate.  
Maturitas 2010 ; 66 : 201-205.
- 2010/13**      Confortini M, **Bergeron C**, Desai M, Negri G, Dalla Palma P, Montanari G, Pellegrini A, Ronco G and the NTCC Cytology Group.  
Accuracy of liquid-based cytology : comparison of the results obtained within a randomized controlled trial (NTCC) and an external group of experts.  
(Communication orale O-32).  
17th International Congress of Cytology Edinburgh, Scotland, May 16-20, 2010.  
Acta Cytol 2010 ; 54/3 Suppl : 399.
- 2010/14**      Schmidt D, **Bergeron C**, Denton K, Ridder R.  
High sensitivity and high specificity for CIN+ of P16/KI-67 dual stained cytology in the triage of ASC-US and LSIL : results from the EEMAPS study.  
(Communication orale O-46).  
17th International Congress of Cytology Edinburgh, Scotland, May 16-20, 2010.  
Acta Cytol 2010 ; 54/3 Suppl : 404.
- 2010/15**      **Bergeron C**, Denton K, Ridder R for the CINtec Cytology Study Group.  
P16 cytology in women with high prevalence rates of HPV : triage of ASC-US in younger women and low grade squamous intraepithelial lesions.  
(Communication orale O-61).  
17th International Congress of Cytology Edinburgh, Scotland, May 16-20, 2010.  
Acta Cytol 2010 ; 54/3 Suppl : 409.
- 2010/16**      Ikenberg H, Griesser H, Angeloni C, **Bergeron C**, Dachez R, Puig-Tintore LM, Ridder R for the PALMS Trial Group.  
Diagnostic performance of P16/KI-67 dual stained cytology for the detection of cervical disease : results from the PAN-EUROPEAN 27,000 women PALMS Trial. (Communication orale O-62).  
17th International Congress of Cytology Edinburgh, Scotland, May 16-20, 2010.  
Acta Cytol 2010 ; 54/3 Suppl : 410.

- 2010/17**     **Ayivi J, Cas F, Paugam M, Prat JJ, Bergeron C.**  
Impact of the implementation of an automatic liquid-based cytology technology Thinprep in place of a manual liquid-based cytology technology cytoscreen system in a large french reference laboratory. (Poster P2-010).  
17th International Congress of Cytology Edinburgh, Scotland, May 16-20, 2010.  
Acta Cytol 2010 ; 54/3 Suppl : 481.
- 2010/18**     **Barthet C.**  
Analytical evaluation of ImmunoCAP ISAC and results for a multi-sensitised patient. (Poster Discussion 218).  
XXIX Congress of the European Academy of Allergy and Clinical Immunology London, UK, 5-9 June 2010.  
Allergy 2010 ; 65/Suppl 92 : 96.
- 2010/19**     Denton KJ, **Bergeron C**, Klement P, Trunk MJ, Keller T, Ridder R for the European CINtec Cytology Study Group.  
The sensitivity and specificity of p16<sup>INK4a</sup> cytology vs HPV testing for detecting high-grade cervical disease in the Triage of ASC-US and LSIL Pap cytology results.  
Am J Clin Pathol 2010 ; 134 : 12-21.
- 2010/20**     La Ruche G, Dejour-Salamanca D, **Debruyne M**, Leparc-Goffart I, Ledrans M, Grandadam M, Brichler S, Souares Y, Denoyel GA, **Poveda JD**, Gastellu-Etchegorry M.  
Surveillance par les laboratoires des cas de dengue et de chikungunya importés en France métropolitaine 2008-2009.  
BEH – Bulletin épidémiologique hebdomadaire 2010 ; N° 31-32 : 325-329.
- 2010/21**     Cuzick J, Ambroisine L, Cadman L, Austin J, Ho L, Terry G, Liddle S, Dina R, McCarthy J, Buckley H, **Bergeron C**, Soutter WP, Lyons D, Szarewski A.  
Performance of the Abbott RealTime High-Risk HPV Test in women with abnormal cervical cytology smears.  
J Med Virol 2010 ; 82 : 1186-1191.
- 2010/22**     Confortini M, **Bergeron C**, Desai M, Negri G, Palma PD, Montanari G, Pellegrini A, Ronco G, The New Technologies for Cervical Cancer Screening Study Cytology Group.  
Accuracy of liquid-based cytology.  
Cancer Cytopathol 2010 ; 118/4 : 203-208.